



# OpenText™ Intelligent Capture **CE 21.4**

## **Release Notes**

Product Released: 2021-11-08

Release Notes Revised:

# Contents

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>Introduction .....</b>  | <b>4</b>  |
| 1.1      | Release Notes revision history .....   | 4         |
| <b>2</b> | <b>About Intelligent Capture .....</b>   | <b>4</b>  |
| 2.1      | New and changed features.....  | 5         |
| 2.1.1    | Intelligent Capture to be deployed to Amazon Web Services Platform.....              | 5         |
| 2.1.2    | Intelligent Capture rebranded to Cloud Edition (CE).....                             | 5         |
| 2.1.3    | Web Client/REST Services and Real Time Services .....                                | 5         |
| 2.1.4    | Intelligent Capture Real Time Services: Expanded full-page OCR language support..... | 5         |
| 2.1.5    | Attended modules.....  | 6         |
| 2.1.6    | Unattended modules .....   | 7         |
| 2.1.7    | Designer .....   | 7         |
| 2.1.8    | Installation and new deployment .....  | 8         |
| 2.1.9    | Documentation .....  | 9         |
| 2.1.10   | Features to be deprecated .....  | 9         |
| 2.2      | Discontinued features .....  | 10        |
| 2.2.1    | Modules no longer shipped .....  | 10        |
| 2.2.2    | Support for custom modules developed with an earlier SDK.....                        | 11        |
| 2.2.3    | Nuance OCR: Third-party AmpLib barcode recognition engine .....                      | 13        |
| <b>3</b> | <b>Packaging and documentation.....</b>  | <b>13</b> |
| 3.1      | Packaging and delivery information .....   | 13        |
| 3.1.1    | Documentation errata .....   | 13        |
| <b>4</b> | <b>Supported environments and compatibility.....</b>                                 | <b>14</b> |
| 4.1      | Supported systems.....   | 15        |
| 4.1.1    | Database server requirements (optional).....   | 15        |
| 4.1.2    | Intelligent Capture server requirements .....  | 16        |
| 4.1.3    | Additional third-party software requirements for the server .....                    | 17        |
| 4.1.4    | Intelligent Capture REST Service host requirements.....                              | 17        |
| 4.1.5    | Client machine requirements.....   | 19        |
| 4.1.6    | Intelligent Capture Web client requirements .....                                    | 29        |
| 4.1.7    | Supported ODBC drivers.....  | 30        |
| 4.1.8    | Third-party product compatibility .....  | 30        |
| 4.2      | Language support.....  | 31        |
| 4.2.1    | Components localized .....   | 32        |
| 4.2.2    | Components not localized .....   | 32        |
| <b>5</b> | <b>Experimental features.....</b>  | <b>33</b> |
| <b>6</b> | <b>Installation and upgrade notes.....</b>   | <b>33</b> |

|          |                                  |           |
|----------|----------------------------------|-----------|
| 6.1      | Upgrade notes .....              | 33        |
| 6.1.1    | Upgrade requirements.....        | 33        |
| 6.1.2    | Upgrading Crystal Reports .....  | 33        |
| <b>7</b> | <b>Fixed issues.....</b>         | <b>33</b> |
| <b>8</b> | <b>Known issues .....</b>        | <b>41</b> |
| 8.1      | Administration .....             | 41        |
| 8.2      | Client modules .....             | 41        |
| 8.2.1    | Designer .....                   | 41        |
| 8.2.2    | RescanPlus .....                 | 42        |
| 8.2.3    | Standard Export.....             | 42        |
| 8.2.4    | Completion .....                 | 42        |
| 8.2.5    | Web Client .....                 | 43        |
| 8.2.6    | Image Converter .....            | 44        |
| 8.2.7    | Classification .....             | 44        |
| 8.2.8    | Extraction.....                  | 44        |
| 8.2.9    | Installer .....                  | 45        |
| <b>9</b> | <b>Contact information .....</b> | <b>46</b> |

# 1 Introduction

These Release Notes provide an overview of Intelligent Capture CE 21.4, including new features, delivery information, and supported platforms. OpenText recommends that you read these Release Notes in conjunction with the documentation included with the software package. If any conflicts exist, the Release Notes supersede the other documentation.

We also recommend that you check OpenText My Support (<https://support.opentext.com>) for any patches or documentation updates that may have been posted after the initial release of this product.

## 1.1 Release Notes revision history

| Revision date | Sections revised | Description of revisions |
|---------------|------------------|--------------------------|
| 2021-11-08    | First release.   | All new content.         |

# 2 About Intelligent Capture

This section provides an overview of Intelligent Capture CE 21.4

Intelligent Capture captures and processes documents from a variety of sources including scanners, fax servers, email servers, file systems, web services, and via RESTful web services. Document information can be stored as images, text, or both. Intelligent Capture is optimized for capturing documents, not storing them for long-term access. Typically, documents remain in the system for a few hours to a few days, until they are exported to a content repository or other back-end system.

Intelligent Capture is a scalable solution that optionally uses multiple servers to manage resources. Therefore, it can process large amounts of data from throughout your enterprise. It also handles multiple languages and system locale settings. Benefits of Intelligent Capture include:

- Reducing operating costs caused by factors such as document preparation and data entry.
- Reducing recovery costs caused by mishandled physical documents.
- Improving information quality for critical business processes.
- Accelerating business processes by providing immediate access to all information and supporting documentation. Enforcing strong compliance control by storing documents and metadata electronically.
- Minimizing processing errors, improving data accuracy, and boosting productivity.
- **Note:** Intelligent Capture Real Time Services (sold separately) is a set of RESTful web services that provides much of the same functionality as an Intelligent Capture system. Intelligent Capture Real Time Services is designed for a cloud environment wherein these web services are called from either a mobile or line-of-business application.

## 2.1 New and changed features

This section describes the new and changed features included in the Intelligent Capture CE 21.4 release.

### 2.1.1 Intelligent Capture to be deployed to Amazon Web Services Platform

Intelligent Capture can be fully deployed to Amazon Web Services (AWS). With this all-in-one approach, the Intelligent Capture server and all components are installed on AWS platform. For more information, see the *OpenText Intelligent Capture Cloud Deployment Guide* on <http://support.opentext.com>.

### 2.1.2 Intelligent Capture rebranded to Cloud Edition (CE)

Intelligent Capture is rebranded to Intelligent Capture CE 21.4 according to the OpenText strategy for Cloud.

### 2.1.3 Web Client and Real Time Services

#### 2.1.3.1 *Dockers and Windows Container support*

You can deploy Web Client and Real Time Services to a Windows container environment using Dockers/Docker Compose in either a public or private cloud. For more information, see the *OpenText Intelligent Capture Cloud Deployment Guide*.

#### 2.1.3.2 *OpenText Directory Services now available*

OpenText Directory Services (OTDS) is now available for Web Client and Real Time Services. Web Client and Real Time Services can use OTDS to authenticate and authorize users. You use the **REST Service Config** tool to configure a secure connection to an OTDS OAuth authentication handler. In addition, Intelligent Capture roles and departments are automatically synchronized between Intelligent Capture and OTDS.

Note: OTDS 21.3.0 introduces multi-tenancy and Intelligent Capture supports single tenancy only.

### 2.1.4 Intelligent Capture Real Time Services

#### 2.1.4.1 *Full-page OCR, new language support*

Vietnamese language support has been added to Full- Page OCR REST API for Standard-OCR.

#### *2.1.4.2 REST API Services: New “Learning” services for Information Extraction (IE) Projects*

The Learning service is used to learn to classify and/or extract a document using an Information Extraction-based recognition project. For more information see the *Intelligent Capture REST Services 2.6 Development Guide, Section 39 Learning service*

#### *2.1.4.3 REST API Services: New OCRLocale Property added to Classification and Extraction services for Information Extraction (IE) Projects*

*OCRLocale property has been added to REST API services Classify, Classify Extract Document, Classify Extract, Extract Document, Extract Page. For more information and details about the specific services see the Intelligent Capture REST Services 2.6 Development Guide*

### **2.1.5 Attended modules**

#### *2.1.5.1 Identification and Completion: New Click to Extract feature*

In Identification and Completion, you can use the Click to Extract feature to directly populate fields with data from image. Note: When using IE projects, you can set the Classification or Extraction OCRDataCache to enable Click to Extract in Identification and Completion. For more information see the *OpenText Intelligent Capture Desktop Client Guide: Identification and Completion, Section 2.2 Configuring direct population of fields with data from the image.*

#### *2.1.5.2 Identification: New IA value*

In Identification new Page Level IA values, ClassificationID and UIMDocumentType are populated when using Information Extraction Profile or Document Type.

#### *2.1.5.3 Identification: Information Extraction (IE) Projects and Document Types*

In Identification, when Information Extraction (IE) projects are selected, the operator will not see any templates and instead as a new option, will be able to select the Document Types from the drop-down. For more information see the *OpenText Intelligent Capture Desktop Client Guide: Identification and Completion, Section 2.3.3 – Configuring Template Assignment*

#### *2.1.5.4 Identification and Completion: PDF Image rotate option*

In Identification and Completion, the rotate option is supported for PDF Images. For more information, see the *OpenText Intelligent Capture Desktop Client Guide: Identification and Completion, Section 2.4.1 “Zooming and Rotating Pages”.*

## **2.1.6 Unattended modules**

### *2.1.6.1 Standard OCR: Vietnamese supported*

Standard OCR supports the Vietnamese language.

### *2.1.6.2 .NET Code Module: Now 64-bit application*

For improved overall performance, the .NET Code module is now a 64-bit application.

### *2.1.6.3 Standard Export- Extended Enterprise Content Management (xECM) Export Profile: Export existing file*

xECM Export profile supports export of an existing file with versioning support.

### *2.1.6.4 Standard Export- Extended Enterprise Content Management (xECM) Export Profile Export Profile*

xECM export now provides supports blank value for workspace search parameter.

### *2.1.6.5 Classification: Upgrade to DCC framework*

Classification module now has been ported to DCC framework with new UI to setup classification.

### *2.1.6.6 Collector: Upgrade to DCC framework*

Collector module has been upgraded to DCC framework with new UI to setup collector.

### *2.1.6.7 Collector: For information Extraction (IE) Projects, new option for Auto-learning*

Collector module now has a new option for auto-learning to be used with Information Extraction (IE). *For more detailed information, see OpenText Intelligent Capture: Collector Help Section 2.1 Setting Up Collector.* The auto-learning option when set to classification, extraction or both need specific IA values for auto-learning. The values are UIMData, Classification ID, Image and OCRDataCache and needs to be setup for Collector to perform auto-learning.

## **2.1.7 Designer**

### *2.1.7.1 Recognition Designer: A new option to create Information Extraction (IE) Project and add profile*

In Recognition Projects, a new option allows creating Information Extraction (IE) project and add profiles. When new profiles are added, Document Types are automatically created. For more information see *Designer Guide section 11.1 for Information Extraction projects and section 11.1.3 for creating profiles and field types for Information Extraction (IE) projects.*

*2.1.7.2 Recognition Designer: A new option to convert Advanced Recognition document types to Information Extraction document types and vice versa*

In Recognition, Document Types, **Copy to other project** allows users to convert Advanced recognition document Types to Information Extraction document type.

*2.1.7.3 Recognition Designer: A new language option for Advanced OCR/ICR*

In Recognition, for the Advanced OCR/ICR OCR engine, a new language Vietnamese has been added

*2.1.7.4 Distributed Capture profile: A new option to use auto-learning with Information Extraction projects*

For Recognition Projects, you can select Information Extraction Project and to enable machine-learning, set **Use auto-learning** with property. You can set the option for Classification or Extraction, Both.

*2.1.7.5 System configuration –Database connection: A Mandatory IE Repository ODBC Connection*

In the **System > System Configuration tab > Configuration Settings list > Database** Connection an IE repository ODBC Connection is added by the Installer, is mandatory for Information Extraction, and cannot be deleted. The values are set by installer, but you can change the settings by updating the connection.

*2.1.7.6 Recognition Designer: Advanced Cloud OCR (Cloud Vision API) a new OCR engine option*

In Recognition, a new OCR Engine option - Advanced Cloud OCR - makes calls to Cloud Vision API in GCP to extract text from the document is available.

Note: You will need your own GCP subscription with Google Vision API and Service Keys. For more information, see the *Recognition Designer Guide Section 1.6 Implementing Advanced Cloud OCR*.

*2.1.7.7 Recognition Designer: IE profile with Magellan Sentiment*

In Information Extraction profiles, you can setup a Magellan Field of type Sentiment. When setting up IE profiles with Magellan Field type, include the config file MagellanConfig.xml in the machine running Extraction and REST Module Services (Extract API) in the path binnt\IEE2\Config. Refer to the Knowledge Base article [KB19422949] in OpenText My Support (<https://support.opentext.com>)

## **2.1.8 Installation and new deployment**

*2.1.8.1 Installer: New option supported*

The Intelligent Capture Installer has a new switch option (/clone\_wait) available that prevents the setup process from ending before the installation is finished. For more information, see the *OpenText Intelligent Capture Installation Guide*.

#### *2.1.8.2 Database: A new option to install Information Extraction Database*

The Intelligent Capture Installer has a new option when installing Database to configure **Create Intelligent Capture (IC) and Information Extraction (IE) Databases**. For more information see the *OpenText Intelligent Capture Installation Guide*, Section 4.1 Installing the Intelligent Capture Database. For information about manually creating the IE Database, see Section F.4 Manually Creating the Information Extraction (IE) Database.

#### *2.1.8.3 Information Extraction Engine Installer: A new installation wizard to Install Information Extraction Engine*

In Installer, a new option, Information Extraction Engine (IEE) Wizard installs Information Extraction Components after the Intelligent Capture Client Components are installed. For more information on the list of client components, see the *OpenText Intelligent Capture Installation Guide*, Section 4.4 Installing Information Extraction. To install Information Extraction (IE) using the command line parameters, see Section F.6 Installing Information Extraction Engine from the Command Line.

### **2.1.9 Documentation**

New in release 21.4, the Documentation for Intelligent Capture is delivered using the OpenText Global Help Server (GHS) system, which provides users with live access to the latest version of the help.

If you cannot use the GHS system, for example, if your site does not have Internet access, you can install the OpenText Private Help Server (PHS), a local version of the help system that can host your OpenText product online help on your organization's network. After the PHS is installed, you can then configure your OpenText products to forward all online help requests to your PHS. For detailed information about installing the PHS, see *OpenText Help System - Private Help Server Administration Guide (OTHS-AGD)*.

### **2.1.10 Features to be deprecated**

#### *2.1.10.1 ODBC Export Module to be deprecated in a future release*

The ODBC Export Module will be deprecated in a future release. Open Text recommends that you start to use the ODBC Export profile, which includes improved functionality.

#### *2.1.10.2 Process Developer to be deprecated in a future release*

In a planned future release of Intelligent Capture, we will be announcing the deprecation of Process Developer. With the release of the CaptureFlow Designer in 2009, we indicated that we would continue to support Process Developer and backward compatibility for IPPs for as long as we could. Unfortunately, VBA's obsolescence makes our continued support of Process Developer increasingly difficult. If you still have older process flows that are coded using Process Developer, we urge you to migrate these process flows to Intelligent Capture Designer as soon as possible. In the unlikely event that an Intelligent Capture Designer enhancement is critical to your ability to migrate

flows, these needs must be identified early enough for us to plan any enhancements into Intelligent Capture's development cycle for a major/minor product release.

### 2.1.10.3 VB.NET code for CaptureFlow scripting is to be deprecated in a future release

In a planned future release of Intelligent Capture, we will be announcing the deprecation of VB.NET for CaptureFlow scripting.

For CaptureFlows with existing VB.NET scripting, any new scripting can be created in VB.NET (and existing VB.NET scripting can be edited). For CaptureFlows without scripting, any new scripts are created in C# only. You can convert existing VB.NET scripting to C# with a third-party converter, for example, Microsoft Visual Studio.

### 2.1.10.4 Version 6.x licenses that include IndexPlus and/or Validation entries are to be deprecated in the next release

Intelligent Capture 7.x, 16.x, 20.2, 21.4 includes functionality that enables customers with 6.x licenses to run the newer version without requiring a license refresh. In the next version of Intelligent Capture, this functionality will be deprecated for 6.x licenses. If any of your licenses include IndexPlus and/or Validation entries, contact OpenText Support or your Account Executive to arrange to have your licenses refreshed at no charge. Customers with 7.x or newer licenses will be able to use the next version of Intelligent Capture without requiring a license refresh.

## 2.2 Discontinued features

The following features have been discontinued in this release.

### 2.2.1 Modules no longer shipped

Modules that are no longer shipped are not included in the installer. You may continue to use these modules if they are already installed. Support for these modules is governed by the product support lifecycle that corresponds to each module's version. For more information, contact OpenText Global Technical Services at My Support (<https://support.opentext.com>).

The following modules are no longer shipped:

| Modules No Longer Shipped | Replacement Modules (If applicable)  |
|---------------------------|--|
| East Euro / APAC OCR      | No replacement. <ul style="list-style-type: none"><li>• <b>Note:</b></li><li>• The East Euro / APAC OCR extraction engine that is used in Advanced Recognition is also no longer shipped. If you are using this module in previous Intelligent Capture releases, then the East Euro / APAC OCR module (as well as corresponding Advanced Recognition engine) will be available in Intelligent Capture CE 21.4 after upgrade.</li></ul> |

| Modules No Longer Shipped | Replacement Modules (If applicable)   |
|---------------------------|---|
|                           | <ul style="list-style-type: none"> <li>• If you want to continue using this module and are upgrading from Intelligent Capture 7.5 or earlier, you must first upgrade to Intelligent Capture 7.6.</li> <li>• By default, this module is disabled in Intelligent Capture Designer. To use the module in Intelligent Capture Designer after the upgrade, see <i>Enabling the East Euro / APAC OCR module in Intelligent Capture Designer</i>.</li> </ul> |

### 2.2.1.1 *Enabling the East Euro / APAC OCR module in Intelligent Capture Designer*

- **Note:** This is applicable only for those customers who have upgraded from Intelligent Capture 7.6 with the installed East Euro / APAC OCR module. You will then need to upgrade to the supported version 7.7, 16.5, 16.6, 20.2 from which you can upgrade to Intelligent Capture CE 21.4.

To enable the East Euro / APAC OCR module in Intelligent Capture Designer, in C:\Program Files (x86)\InputAccel\Client\binnt\CfdDatamodules.xml (default path), remove `Unsupported="true"` from the following entry:

- **Note:** Make sure to shut down Intelligent Capture Designer and back up `modules.xml`.  

```
<Item Label="EastEuro APAC OCR" InternalName="abyocr2" CategoryID="5"
DefaultLevel = "0" assemblytype="2" assembly="EastEuroAPACOCR"
Unsupported="true">
```

The correct entry should be as follows:

```
<Item Label="EastEuro APAC OCR" InternalName="abyocr2" CategoryID="5"
DefaultLevel = "0" assemblytype="2" assembly="EastEuroAPACOCR">
```

## 2.2.2 Support for custom modules developed with an earlier SDK

It is a best practice for custom modules to use the latest SDK; however, modules can also run with an earlier SDK as follows:

| Dependency   | Running on 16.5 or 16.6 Machine  | Running on 20.2 Machine  | Running on 21.4 Machine  |
|--|--|--|--|
| InputAccel SDK 5.x (IAClient32.dll)                        | Migrate to use a .NET Code module step with scripting.   | Migrate to use a .NET Code module step with scripting.   | Migrate to use a .NET Code module step with scripting.   |
| InputAccel SDK 5.x (.NET 1.1) (InputAccel.QuickModule.dll) | Replace the .NET 1.1 dependency with .NET 4.7.1 and your InputAccel.*.dll references with InputAccel.*35.dll and | Replace the .NET 1.1 dependency with .NET 4.8 and your InputAccel.*.dll references with InputAccel.*35.dll and | Replace the .NET 1.1 dependency with .NET 4.8 and your InputAccel.*.dll references with InputAccel.*35.dll and |

|  |  |  |  |
|--|--|--|--|
|  | then rebuild. For more information, see MSDN: Migrating from the .NET Framework 1.1 ( <a href="https://docs.microsoft.com/en-us/dotnet/framework/migration-guide/migrating-from-the-net-framework-1-1">https://docs.microsoft.com/en-us/dotnet/framework/migration-guide/migrating-from-the-net-framework-1-1</a> ).   | then rebuild. For more information, see MSDN: Migrating from the .NET Framework 1.1 ( <a href="https://docs.microsoft.com/en-us/dotnet/framework/migration-guide/migrating-from-the-net-framework-1-1">https://docs.microsoft.com/en-us/dotnet/framework/migration-guide/migrating-from-the-net-framework-1-1</a> ).   | then rebuild. For more information, see MSDN: Migrating from the .NET Framework 1.1 ( <a href="https://docs.microsoft.com/en-us/dotnet/framework/migration-guide/migrating-from-the-net-framework-1-1">https://docs.microsoft.com/en-us/dotnet/framework/migration-guide/migrating-from-the-net-framework-1-1</a> ).   |
| .NET 3.5 Compatibility Pack for InputAccel SDK 5.x (InputAccel.QuickModule35.dll)  | <p>Update in one of the following ways:</p> <p>Replace the .NET 3.5 dependency with .NET 4.7.1 and rebuild.</p> <p>Modify the configuration file (&lt;customModule&gt;.exe.config) to point to .NET 4.8 runtime.</p> <p>Note: An example file is the following:</p> <pre>&lt;intellicap-client-install&gt;\Client\binnt\APConExp.exe.config</pre>                                    | <p>Update in one of the following ways:</p> <p>Replace the .NET 3.5 dependency with .NET 4.8 and rebuild.</p> <p>Modify the configuration file (&lt;customModule&gt;.exe.config) to point to .NET 4.8 runtime.</p> <p>Note: An example file is the following:</p> <pre>&lt;intellicap-client-install&gt;\Client\binnt\APConExp.exe.config</pre>                                  | <p>Update in one of the following ways:</p> <p>Replace the .NET 3.5 dependency with .NET 4.8 and rebuild.</p> <p>Modify the configuration file (&lt;customModule&gt;.exe.config) to point to .NET 4.8 runtime.</p> <p>Note: An example file is the following:</p> <pre>&lt;intellicap-client-install&gt;\Client\binnt\APConExp.exe.config</pre>                                  |
| InputAccel SDK 6.0 (.NET 2.0)<br>InputAccel SDK 6.5 (.NET 3.5)<br>Intelligent Capture 7.0 - 7.1 (.NET 3.5)<br>Intelligent Capture 7.5 – 7.6 (.NET 4.5.2)<br>Intelligent Capture 7.7 (.NET 4.5.2) (QuickModuleHost.exe - modulename:<customModule>) | <p>Update in one of the following ways:</p> <p>Replace the .NET 3.5, .NET 2.0, or .NET 4.5.2 dependency with .NET 4.7.1 and rebuild.</p> <p>Your custom module might run as-is under .NET 4.7.1. You can determine if it can by executing the following command:</p> <pre>&lt;intellicap-client-install&gt;\Client\binnt\QuickModuleHost.exe - modulename:&lt;customModule&gt;</pre> | <p>Update in one of the following ways:</p> <p>Replace the .NET 3.5, .NET 2.0, or .NET 4.5.2 dependency with .NET 4.8 and rebuild.</p> <p>Your custom module might run as-is under .NET 4.8. You can determine if it can by executing the following command:</p> <pre>&lt;intellicap-client-install&gt;\Client\binnt\QuickModuleHost.exe - modulename:&lt;customModule&gt;</pre> | <p>Update in one of the following ways:</p> <p>Replace the .NET 3.5, .NET 2.0, or .NET 4.5.2 dependency with .NET 4.8 and rebuild.</p> <p>Your custom module might run as-is under .NET 4.8. You can determine if it can by executing the following command:</p> <pre>&lt;intellicap-client-install&gt;\Client\binnt\QuickModuleHost.exe - modulename:&lt;customModule&gt;</pre> |

### 2.2.3 Nuance OCR: Third-party AmpLib barcode recognition engine

The third-party AmpLib barcode recognition engine for 1D and 2D barcode has been removed.

## 3 Packaging and documentation

Software downloads and documentation for Intelligent Capture are available on OpenText My Support (<https://support.opentext.com>). From My Support, to download the entire documentation, you can select the Link “Intelligent Capture CE 21.4 - Documentation List”. From the section Download option, you can select “Downloading a documentation package”. Hosted helps are available through the OpenText Global Help Server (GHS).



### Note

Documentation that is installed with the product or packaged with the product download is current at the time of release. Documentation updates made after a release are available for download on OpenText My Support (<https://support.opentext.com>).

### 3.1 Packaging and delivery information

The software and documentation for Intelligent Capture includes:

**Start > OpenText Intelligent Capture > Intelligent Capture Guide**

*C:\Program Files (x86)\InputAccel\ Documentation\HelpLauncher\HelpLauncher.exe*

Main help for the entire Intelligent Capture Help system

The scripting guide with details of API references will be available in OpenText My Support (<https://support.opentext.com>) as Intelligent Capture 21.4 Scripting Help Guide

#### 3.1.1 Documentation errata

##### 3.1.1.1 *Installation Guide*

For the 21.4 release, for Japanese users, refer to the English version of the Installation Guide for accurate information about upgrade paths and instructions for setting up a Private Help Server (PHS).

##### 3.1.1.2 *Hosted Help workarounds*

Hosted help on the Global Help Server (GHS) was not hooked up within the application for the following modules:

- Dispatcher Manager Help (ecpcore-crl)
- Recognition Designer Help (ecpcore-crc)

- Copy Help (ecpcore-ccb)

When called, Help launches the shared landing page instead, where the user can access the online Help.

### 3.1.1.3 Administration Guide

For the details in Section 9.7.5 – Specifying the Session Timeout Duration for Administrator, Completion, and Identification, the correct instructions are for Step 2 In the **Modules** pane, where you see all modules listed, select **InputAccel Editable Values**, right-click and select **View Selected > Values**.

## 4 Supported environments and compatibility

This section provides details about supported platforms, systems, and versions.

OpenText strongly recommends installing the latest security fixes to your supported operating system.

- **Note:**
- For the best performance, always use the vendor's latest operating system (that Intelligent Capture supports) for all Intelligent Capture components. Furthermore, you should always make sure that you have applied the latest service packs and patches to your supported operating system for all Intelligent Capture components. In addition to meeting the other recommended system requirements, keeping your operating system up to date helps to ensure the best performance for your Intelligent Capture system.
- Intelligent Capture product configuration running on a particular environment is supported if versions of the components in the environment (e.g., operating system, database, web server, browser, SSO, Directory Servers, etc.) are in standard/primary support by their vendors.
- All certifications provided in this document are relevant to the current release. Certifications for patches are documented in the Patch Notes documents published for the patch releases.
- Software requirements are listed with release numbers. Software updates—including patches, Service Packs, and equivalent updates—sometimes introduce unanticipated changes. Compatibility with software updates that are not listed here cannot be guaranteed.
- For details about language variations, refer to Localization.
- For sizing and tuning considerations for the Intelligent Capture system, see the Intelligent Capture Performance Sizing and Tuning Guide.

**Caution:** The minimum requirements listed here are the absolute minimum that enable Intelligent Capture to function. Furthermore, the absolute minimum means that neither reporting nor auditing are supported in production. In all but the simplest, low-volume configurations (such as a demonstration or testing system), these minimum requirements will not produce satisfactory performance. Furthermore, the recommended requirements are for typical installations, but even those are not sufficient for a high-volume operation. Use these requirements to assist in your implementation. Each implementation is unique and must be evaluated and sized differently based on processing needs and throughput required. An incorrectly sized implementation will reduce performance and cause unexpected behavior.

## 4.1 Supported systems

### 4.1.1 Database server requirements (optional)

This section lists the system requirements and recommendations for the machine running the Intelligent Capture Database.

- **Note:**
- For Microsoft SQL Server-specific requirements, refer to the Microsoft SQL Server documentation.
- Due to limitations (documented in the Installation Guide), if you choose to install the optional Intelligent Capture Database, use SQL Server Express editions only for low page volume deployments without reporting or logging.

#### 4.1.1.1 Database server hardware requirements

This section lists the hardware requirements and recommendations for the machine running the Intelligent Capture Database.

If the Microsoft requirements are higher than the following Intelligent Capture ones, use the Microsoft requirements.

**Caution:** For all but low-volume deployments, Intelligent Capture requires a dedicated computer for the Intelligent Capture Database and this computer must meet the recommended hardware requirements. High-volume deployments might require hardware that exceeds the recommendations.

| Item         | Recommended   | Minimum  |
|--------------|---|--|
| Processor    | <ul style="list-style-type: none"><li>• If reporting or auditing functionality is required:<br/>x64-compatible CPU, 2.3 GHz (or greater), 8 cores</li><li>• If reporting or auditing is not required:<br/>x64-compatible CPU, 2.3 GHz (or greater), 4 cores</li></ul> | 2.3 GHz x64-compatible CPU, 4 cores                                    |
| Memory       | 8 GB: If reporting or auditing functionality is required<br>4 GB: If reporting or auditing functionality is not required  | 4 GB   |
| Disk space   | 100 GB Free (if reporting is required)<br>10 GB Free (if reporting is not required)   | 10 GB Free   |
| Network card | Platform compatible with TCP/IP with transmission rate of 1000 MBit/sec   | Platform compatible with TCP/IP with transmission rate of 100 MBit/sec |
| Display      | 1024 x 768, 256 colors  | 1024 x 768, 256 colors   |

#### 4.1.1.2 Database server software requirements

This section lists the software requirements for the machine running the Intelligent Capture Database.

| Software Type    | Required Software  |
|------------------|--|
| Operating system | <ul style="list-style-type: none"> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2016 (64-bit)</li> </ul>   |
| SQL Server       | <ul style="list-style-type: none"> <li>Microsoft SQL Server 2019 - Enterprise, Business Intelligence, Standard, Developer, Express editions (64-bit)</li> <li>Microsoft SQL Server 2017 - Enterprise, Business Intelligence, Standard, Developer, Express editions (64-bit)</li> <li>Microsoft SQL Server 2016 SP2 - Enterprise, Business Intelligence, Standard, Developer, Express editions (64-bit)</li> <li>Microsoft SQL Server 2014 SP3 - Enterprise, Business Intelligence, Standard, Developer, Express editions (64-bit)</li> <li><b>Note:</b> Due to limitations (documented in the Installation Guide), if you choose to install the optional Intelligent Capture Database, use SQL Server Express editions only for low page volume deployments without reporting or logging.</li> </ul> |

#### 4.1.2 Intelligent Capture server requirements

This section lists the system requirements and recommendations for the machine running the Intelligent Capture Server.

##### 4.1.2.1 Server hardware requirements

This section lists the hardware requirements and recommendations for the machine running the Intelligent Capture Server.

- Note:** To set up Intelligent Capture Servers in a Microsoft Failover Clustering environment, an edition of Windows Server that includes the Failover Clustering feature is required.

**Caution:** For all but low volume deployments, Intelligent Capture requires a dedicated computer for the Intelligent Capture Server. This computer must meet the recommended hardware requirements specified. High volume deployments may require larger than the recommended hardware.

| Item      | Recommended   | Minimum (Use only in low volume deployment) |
|-----------|---|---|
| Processor | x64-compatible CPU<br>2.3 GHz <ul style="list-style-type: none"> <li><b>Note:</b> For higher loads in your specific environment, run load tests and follow the recommendations in the Intelligent Capture Performance Sizing and Tuning Guide.</li> </ul> | x64-compatible CPU<br>2.3 GHz<br>4 cores    |

| Item         | Recommended   | Minimum (Use only in low volume deployment)                            |
|--------------|---|--|
| Memory       | 16 GB   | 6 GB   |
| Disk space   | 100 GB Free   | 10 GB Free   |
| Network card | Platform compatible with TCP/IP with transmission rate of 1000 MBit/sec | Platform compatible with TCP/IP with transmission rate of 100 MBit/sec |
| Display      | 1024 x 768, 256 colors  | 1024 x 768, 256 colors   |

#### 4.1.2.2 Server operating system requirements

This section lists the operating system software requirements for the machine running the Intelligent Capture Server.

| Software Type     | Required Software  |
|-------------------|--|
| Microsoft Windows | <ul style="list-style-type: none"> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2016 (64-bit)</li> <li><b>Note:</b> To set up Intelligent Capture Servers in a Microsoft Failover Clustering environment, an edition of Windows Server that includes the Failover Clustering feature is required.</li> </ul> |

#### 4.1.3 Additional third-party software requirements for the server

This section lists third-party software requirements and recommendations for the machine running the Intelligent Capture Server.

| Software                 | Requirement  |
|--------------------------|--|
| Microsoft .NET Framework | Required for basic functionality. <ul style="list-style-type: none"> <li>.NET 4.8 or higher</li> </ul> |

#### 4.1.4 Intelligent Capture REST Service host requirements

This section lists the system requirements and recommendations for the machine running the Intelligent Capture REST Service.

- Note:** OpenText does *not* recommend installing IIS on a Domain Controller.

##### 4.1.4.1 Web Server Hardware Requirements

This section lists the hardware requirements and recommendations for the machine running the Intelligent Capture REST Service.

| Item      | Recommended                                | Minimum                                    |
|-----------|--|--|
| Processor | x64-compatible CPU<br>2.3 GHz (or greater) | x64-compatible CPU<br>2.3 GHz (or greater) |

| Item         | Recommended  | Minimum  |
|--------------|--|--|
|              | 8 cores <ul style="list-style-type: none"> <li><b>Note:</b> For higher loads in your specific environment, run load tests and follow the recommendations in the Intelligent Capture Performance Sizing and Tuning Guide.</li> </ul>        | 4 cores  |
| Memory       | More than 8 GB <ul style="list-style-type: none"> <li><b>Note:</b> For higher loads in your specific environment, run load tests and follow the recommendations in the Intelligent Capture Performance Sizing and Tuning Guide.</li> </ul> | 8 GB   |
| Disk space   | 20 GB Free   | 20 GB Free   |
| Network card | Platform compatible with TCP/IP with transmission rate of 1000 MBit/sec  | Platform compatible with TCP/IP with transmission rate of 100 MBit/sec |

#### 4.1.4.2 Web server software requirements

This section lists the software requirements for the machine running the Intelligent Capture REST Service.

| Software Type     | Required Software  |
|-------------------|--|
| Microsoft Windows | <ul style="list-style-type: none"> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2016 (64-bit)</li> <li>Windows 10 - Enterprise edition (64-bit)</li> <li><b>Note:</b> To set up Intelligent Capture Servers in a Microsoft Failover Clustering environment, an edition of Windows Server that includes the Failover Clustering feature is required.</li> </ul> |
| Microsoft IIS     | <ul style="list-style-type: none"> <li>IIS 7.5</li> <li>IIS 8.0</li> <li>IIS 8.5</li> <li>IIS 10</li> <li><b>Note:</b> OpenText does <i>not</i> recommend installing IIS on a Domain Controller.</li> </ul>  |

#### 4.1.4.3 Additional Third-party Software Requirements for the Web Server

This section lists third-party software requirements and recommendations for the machine running the Intelligent Capture REST Service.

| Software                 | Requirement  |
|--------------------------|--|
| Microsoft .NET Framework | Required for basic functionality. <ul style="list-style-type: none"> <li>.NET 4.8 or higher</li> </ul> |
| Adobe® Reader®           | Required to view documentation that is in PDF format.  |

### 4.1.5 Client machine requirements

This section lists the hardware and software requirements and recommendations that are common for all client machines running Intelligent Capture client modules. It also lists specific requirements for specific client modules.

#### 4.1.5.1 Common Requirements for All Client Modules

This section lists the common system requirements for all Intelligent Capture client modules.

- Note:** On a 64-bit operating system, Intelligent Capture functions as a 32-bit application using Windows-on-Windows 64-bit (WOW64). Refer to the Microsoft website for details about WOW64.

##### 4.1.5.1.1 Client hardware requirements

This section lists the hardware requirements and recommendations for the machine running Intelligent Capture client modules.

| Item       | Recommended   | Minimum                         |
|------------|---|---------------------------------|
| Processor  | CPU-intensive tasks such as scanning, indexing, data verification and validation (Completion module), image processing, and optical character recognition: <ul style="list-style-type: none"> <li>Dedicated 2.8 GHz Pentium (or compatible), 2 cores per module instance running on the same machine or VM.</li> </ul> Less CPU-intensive tasks such as exporting, and Intelligent Capture administration: <ul style="list-style-type: none"> <li>2.4 GHz Pentium (or compatible).</li> </ul> | 2.0 GHz Pentium (or compatible) |
| Memory     | 4 GB <ul style="list-style-type: none"> <li><b>Note:</b> If you run more than one client module instance on the machine, then you need additional RAM and CPU cores.</li> </ul>   | 2 GB                            |
| Disk space | 8 GB free   | 8 GB free                       |

| Item         | Recommended  | Minimum  |
|--------------|--|--|
| Network card | Platform compatible with TCP/IP with transmission rate of 1000 MBit/sec  | Platform compatible with TCP/IP with transmission rate of 100 MBit/sec |
| Display      | 1280 x 1024, 24-bit color <ul style="list-style-type: none"> <li>• <b>Note:</b> For ScanPlus, Identification, and Completion, 2 monitors are recommended.</li> </ul> | 1024 x 768, 256 colors   |

#### 4.1.5.1.2 Client operating system requirements

This section lists the operating system software requirements for the machine running Intelligent Capture client modules.

| Software Type     | Required Software  |
|-------------------|--|
| Microsoft Windows | <ul style="list-style-type: none"> <li>• Windows Server 2019 (64-bit)</li> <li>• Windows Server 2016 (64-bit)</li> <li>• Windows 10 - Enterprise edition (64-bit)</li> </ul> |

#### 4.1.5.1.3 Additional third-party software requirements for the client

This section lists third-party software requirements and recommendations for the machine running Intelligent Capture client modules.

- **Note:** The Scanner Drivers (Image and Scanner Interface Specification (ISIS) compliant) standard is supported as well as recommended for seamlessly interfacing our scanning software with document scanners. Every compliant driver must pass thousands of rigorous tests to fully validate its performance, compatibility, and reliability to achieve Scanner Drivers device certification. This certification process results in fewer hardware support problems and delivers the most solid document scanning interface available on the market. When you are ready to purchase, choose Scanner Drivers certified devices for all document scanners or MFPs and easily achieve plug-n-play deployment capability.

| Software                 | Requirement  |
|--------------------------|--|
| Microsoft .NET Framework | Required for basic functionality. The following versions are required for all client modules except as noted in Module-specific Requirements. <ul style="list-style-type: none"> <li>• .NET 4.8 or higher</li> </ul> |
| Adobe® Reader®           | Required to view documentation that is in PDF format.  |

#### 4.1.5.2 Module-specific requirements

This section lists the additional requirements for specific Intelligent Capture client modules. These requirements and the Common Requirements for All Client Modules are required before installing these client modules.

| Module                            | Microsoft Browser   | Additional Requirements   |
|-----------------------------------|---|---|
| .NET Code                         | N/A   | <p>Microsoft Visual Studio 2012 (or greater) - Standard, Professional, Express editions (recommended to write scripts)</p> <ul style="list-style-type: none"> <li>• <b>Note:</b></li> <li>• Visual Studio Express has limited capabilities with some tasks such as debugging. Refer to Microsoft documentation for a complete list of limitations. If you intend to create a lot of custom .NET code for Intelligent Capture, it is recommended that you develop it with Visual Studio Professional or Visual Studio Standard.</li> <li>• Visual Studio 2013 is required for new .NET development; however, Visual Studio 2010 and 2008 can still be used to maintain old scripts.</li> </ul> |
| ApplicationXtender Export         | N/A   | <p>OpenText ApplicationXtender 7.0 SP1</p> <ul style="list-style-type: none"> <li>• <b>Note:</b> For ApplicationXtender versions newer than 7.0 SP1, use Standard Export with the ApplicationXtender export profile.</li> </ul>   |
| Archive Export                    | N/A   | SAP NetWeaver 7.5   |
| Intelligent Capture Administrator | <p>Internet Explorer 11.0</p> <ul style="list-style-type: none"> <li>• <b>Note:</b> Intelligent Capture Administrator does not run in Internet Explorer; it uses Internet Explorer to render the UI.</li> </ul> | N/A   |
| Intelligent Capture Designer      | N/A   | Microsoft .NET Framework 4.8 Developer Pack only. No other version of the .NET Framework can be installed on the Designer machine.  |
| Documentum Advanced Export        | N/A   | <ul style="list-style-type: none"> <li>• OpenText Documentum Foundation Classes (DFC) 20.x, 21.x runtime environments.</li> <li>• OpenText Documentum Server 20.x, 21.x</li> </ul>  |

| Module                         | Microsoft Browser | Additional Requirements  |
|--------------------------------|-------------------|--|
|                                |                   | <ul style="list-style-type: none"> <li>• OpenText Documentum xCelerated Composition Platform 20.x, 21.x</li> <li>• OpenText Documentum D2 20.x, 21.x</li> <li>• Microsoft Visual Studio 2012 (or greater) - Standard, Professional, Express editions (recommended to write scripts) <ul style="list-style-type: none"> <li>• <b>Note:</b> See the additional notes for Visual Studio for the .NET Code module.</li> </ul> </li> </ul>  |
| FileNet Content Manager Export | N/A               | <ul style="list-style-type: none"> <li>• IBM FileNet P8 Content Manager 5.2 (or lower). <ul style="list-style-type: none"> <li>• <b>Note:</b> To export to IBM FileNet P8 Content Manager 5.2.1, use the Export profile for CMIS.</li> </ul> </li> </ul>   |
| FileNet Panagon IS/CS Export   | N/A               | IBM FileNet Panagon Image Services 4.2   |
| Global 360 Export              | N/A               | Execute360 EX 10.0   |
| IBM CM Advanced Export         | N/A               | <p>Requires the following:</p> <ul style="list-style-type: none"> <li>• IBM CM Advanced Export module only: <ul style="list-style-type: none"> <li>▪ IBM or Oracle 32-bit (x86) Java SE Runtime Environment (JRE), or</li> <li>▪ Java Development Kit (JDK) of version 1.7 or higher (to export to IBM CM v.8.5 only)</li> </ul> </li> <li>• With the Legacy IBM CM C++ client libraries (for v.8.5 and lower) option: <ul style="list-style-type: none"> <li>▪ IBM Data Server Client and IBM Content Manager Client for Windows v.8.4 (to export to IBM CM v.8.5 and lower)</li> </ul> </li> </ul> <p>To install and configure the Java environment for IBM CM Advanced Export, perform the following steps:</p> <ol style="list-style-type: none"> <li>1. Install the required Java JRE or JDK from one of the following locations: <ul style="list-style-type: none"> <li>• IBM Content Manager (for example, <code>&lt;IBM_CM_root&gt;\java\jre</code>)</li> <li>• <a href="https://developer.ibm.com/jasdk/downloads/">https://developer.ibm.com/jasdk/downloads/</a></li> </ul> </li> </ol> |

| Module | Microsoft Browser | Additional Requirements   |
|--------|-------------------|---|
|        |                   | <ul style="list-style-type: none"> <li>• <a href="http://www.oracle.com/technetwork/java/javase/downloads">http://www.oracle.com/technetwork/java/javase/downloads</a></li> </ul> <p>2. Configure the following environment variables:</p> <ul style="list-style-type: none"> <li>• For both the JRE and JDK, add the following path to PATH:<br/> <code>&lt;jre_or_jdk_install_dir&gt;\bin</code></li> <li>• For the JRE, set JRE_HOME = <code>&lt;jre_install_dir&gt;</code></li> <li>• For the JDK, set JAVA_HOME = <code>&lt;jdk_install_dir&gt;</code></li> </ul> <p>3. Install and configure the IBM Content Manager's Java OEM API toolkit as follows:</p> <ul style="list-style-type: none"> <li>• IBM Content Manager 8.5.0<br/> <a href="https://www.ibm.com/support/knowledgecenter/SSRS7Z_8.5.0/com.ibm.programmingcm.doc/dcmjv031.htm">https://www.ibm.com/support/knowledgecenter/SSRS7Z_8.5.0/com.ibm.programmingcm.doc/dcmjv031.htm</a></li> <li>• IBM Content Manager 8.6.0<br/> <a href="https://www.ibm.com/support/knowledgecenter/SSRS7Z_8.6.0/com.ibm.programmingcm.doc/dcmjv031.html">https://www.ibm.com/support/knowledgecenter/SSRS7Z_8.6.0/com.ibm.programmingcm.doc/dcmjv031.html</a></li> </ul> <p><b>Note:</b> Make sure to add the Java classpath to the CLASSPATH environment variable.</p> <p><b>Tip:</b> The jar utility for unpacking CMJavaOEMAPIToolkit.jar unpacks the JDK only. You also could rename the file with a *.zip extension and use another archive tool.</p> <p>4. (Optional) If you do not want to uninstall the Legacy IBM CM C++ client libraries (for v.8.5 and below) option, you can enable or disable it using the following commands:</p> <ul style="list-style-type: none"> <li>• To enable: <code>regsvr32 exicm818.dll</code></li> </ul> |

| Module           | Microsoft Browser               | Additional Requirements   |
|------------------|---------------------------------|---|
|                  |                                 | <ul style="list-style-type: none"> <li>• To disable: <code>regsvr32 /u exicm818.dll</code></li> </ul> <p>5. (Optional) If <code>&lt;intelligent_capture_install_dir&gt;\Client\binnt\exicmj.ini</code> sets any JVM <code>verbose</code> option and several instances of the module are running, then JVM output is logged to either <code>exicmj.log</code> or <code>exicmj.pid&lt;ProcessID&gt;.log</code> in the module's working directory. Thus, the user account for running the IBM CM Advanced Export module must have sufficient write permissions on the module's working directory; otherwise, use <code>JVM_LOGPATH</code> to set a different directory that has sufficient write permissions for that user account. <b>Note:</b> The settings in <code>exicmj.ini</code> take precedence over the ones in environment variables.</p> |
| IBM CSSAP Export | N/A                             | IBM Content Collector for SAP Applications 4.0  |
| Image Converter  | 11.0: To process HTML documents | <p>Microsoft Office and Internet Explorer are not required if the "Embedded Image Converter Engine" option is selected as a processing engine in the Image Conversion profile. Otherwise, the following are required:</p> <ul style="list-style-type: none"> <li>• Microsoft Office 2013 or 2016 with Office Shared Features and Office Tools enabled: To process Microsoft Office documents. <ul style="list-style-type: none"> <li>▪ Word 2013 or 2016 is required to convert DOCX files.</li> <li>▪ Excel 2013 or 2016 is required to convert XLSX files.</li> <li>▪ During batch processing, batches containing PPT and PPTX files automatically launch the PowerPoint application on the desktop. PowerPoint 2013 or 2016 is required. If Image Converter closes unexpectedly, operators are required to</li> </ul> </li> </ul>              |

| Module | Microsoft Browser | Additional Requirements  |
|--------|-------------------|--|
|        |                   | <p>manually close PowerPoint on the machine running Image Converter.</p> <p>If Image Converter is run as a service under a non-administrative account, configure the permissions as described below. Otherwise, files of type DOC, XLS, TXT, and PPT are not processed.</p> <ul style="list-style-type: none"> <li>• <b>Note:</b> If the client machine has Microsoft Office 2013 or 2016 installed, using an administrative user account is a strict requirement. For more information, see the Installation Guide.</li> </ul> <p>For file type DOC:</p> <ol style="list-style-type: none"> <li>1. Run the <b>Windows Component Services</b> utility. <ul style="list-style-type: none"> <li>▪ For 64-bit operating system: Navigate to the SysWOW64 folder (default location C:\Windows\SysWOW64). Run <code>comexp.msc</code>.</li> </ul> </li> <li>2. Browse to <b>Console Root &gt; Component Services &gt; Computers &gt; My Computer</b>.</li> <li>3. Select <b>DCOM Config</b>.</li> <li>4. Select Microsoft Word, right-click, and select <b>Properties</b>.</li> <li>5. Select the Identity tab and enable <b>The interactive user</b>.</li> </ol> <p>For file types XLS, TXT, and PPT:</p> <ol style="list-style-type: none"> <li>1. Run the <b>Windows Component Services</b> utility. <ul style="list-style-type: none"> <li>○ For 64-bit operating systems: Navigate to the SysWOW64 folder (default location C:\Windows\SysWOW64). Run <code>comexp.msc</code>.</li> </ul> </li> <li>2. Browse to <b>Console Root &gt; Component Services &gt; Computers &gt; My Computer</b>.</li> <li>3. Select <b>DCOM Config</b>.</li> <li>4. Select the appropriate program, right-click, and select <b>Properties</b>.</li> </ol> |

| Module               | Microsoft Browser | Additional Requirements  |
|----------------------|-------------------|--|
|                      |                   | <p>5. Select the <b>Identity</b> tab and enable <b>The interactive user</b>.</p> <ul style="list-style-type: none"> <li>• Microsoft Internet Explorer 11: To recognize and convert HTML documents, when Internet Explorer is selected as the rendering engine for HTML documents during Image Converter module setup. Also, ensure the following settings: <ul style="list-style-type: none"> <li>○ Image Converter must be installed as service under Network Service or Domain User accounts.</li> <li>○ Disable the Internet Explorer 10 window from using group policies.</li> <li>○ Ensure the user account that runs Image Converter as a service has “full control” permissions on the temporary folder for the processed files storing.</li> <li>○ In Internet Explorer: <ul style="list-style-type: none"> <li>▪ Open <b>Tools</b> menu and select <b>Internet Options</b>.</li> <li>▪ Go the <b>Security</b> tab and add the following trusted sites: localhost, http://localhost, https://localhost.</li> <li>▪ For trusted sites, set the <b>Security</b> level to <b>Low</b>.</li> </ul> </li> </ul> </li> </ul> <p>The user account that runs Image Converter as a service must be granted full control permissions on the temporary folder.</p> <ul style="list-style-type: none"> <li>• Make sure the Write permission for Everyone is assigned to the following Desktop folder. <ul style="list-style-type: none"> <li>▪ On 64-bit Windows: <pre style="margin-left: 20px;">%SYSTEMROOT%\SysWOW64\config\ systemprofile\Desktop and %SYSTEMROOT%\System32\config\ systemprofile\Desktop</pre> </li> </ul> </li> </ul> |
| MS SharePoint Export | N/A               | Microsoft Office SharePoint Server 2013 SP1  |
| NuanceOCR            | N/A               | N/A  |

| Module                             | Microsoft Browser  | Additional Requirements   |
|------------------------------------|--|---|
| ODBC Export                        | N/A  | Supports the following databases and drivers: <ul style="list-style-type: none"> <li>• Microsoft SQL Server 2016 - Enterprise, Business Intelligence, Standard, Developer, Express editions (64-bit)</li> <li>• Oracle Driver 19.1</li> </ul>   |
| Open Text Livelink Advanced Export | N/A  | Connects to Open Text Content Server 10.5. <ul style="list-style-type: none"> <li>• <b>Note:</b> To export to Content Server 16.5, 16.6 or 20.x, 21.x use the Standard Export module.</li> </ul>  |
| RescanPlus                         | Internet Explorer 11.0 <ul style="list-style-type: none"> <li>• <b>Note:</b> Required if importing HTML or XML documents.</li> </ul> | <ul style="list-style-type: none"> <li>• Microsoft Visual Studio 2012 (or greater) - Standard, Professional, Express editions (recommended to write scripts)               <ul style="list-style-type: none"> <li>• <b>Note:</b> See the additional notes for Visual Studio for the .NET Code module</li> </ul> </li> <li>• Adobe® Reader® 9 and later: To view PDF files in the Image View pane</li> <li>• Microsoft Excel 2010 or 2013: To view XLS files in the Image View pane</li> </ul> |
| ScanPlus                           | Internet Explorer 11.0 <ul style="list-style-type: none"> <li>• <b>Note:</b> Required if importing HTML or XML documents.</li> </ul> | <ul style="list-style-type: none"> <li>• Microsoft Visual Studio 2012 (or greater) - Standard, Professional, Express editions (recommended to write scripts)               <ul style="list-style-type: none"> <li>• <b>Note:</b> See the additional notes for Visual Studio for the .NET Code module</li> </ul> </li> <li>• Adobe® Reader® 9 and later: To view PDF files in the Image View pane</li> <li>• Microsoft Excel 2010 or 2013: To view XLS files in the Image View pane</li> </ul> |

| Module          | Microsoft Browser | Additional Requirements   |
|-----------------|-------------------|---|
| Standard Export | N/A               | <p>The Standard Export profiles are supported as follows:</p> <ul style="list-style-type: none"> <li>• CMIS profile <ul style="list-style-type: none"> <li>• IBM FileNet Content Manager 5.2.1, 5.5.1, 5.5.7</li> <li>• OpenText Content Server 20.x, 21.x</li> <li>• Microsoft SharePoint 2016, 2019</li> <li>• <b>Note:</b> CMIS 1.0 and 1.1 are supported.</li> </ul> </li> <li>• ApplicationXtender profile <ul style="list-style-type: none"> <li>• ApplicationXtender 16.3, 16.6, 20.3</li> </ul> </li> <li>• Content Server profile <ul style="list-style-type: none"> <li>• OpenText Content Server 20.x, 21.x</li> </ul> </li> <li>• Email profile <ul style="list-style-type: none"> <li>• POP3, IMAP email servers</li> <li>• Microsoft Exchange 2013, 2016 (through Exchange Web Services)</li> <li>• Microsoft Office 365 email (through Exchange Web Services)</li> </ul> </li> <li>• xECM profile <ul style="list-style-type: none"> <li>• Extended ECM Platform 20.x,21.x</li> </ul> </li> <li>• <b>Note:</b> If McAfee VirusScan is installed on the machine, ensure that the Prevent mass mailing worms from sending mail option is disabled. This is required to successfully perform email export.</li> </ul> |
| Standard Import | N/A               | <ul style="list-style-type: none"> <li>• Microsoft Exchange 2013, 2016 (through Exchange Web Services)</li> <li>• Microsoft Office 365 email (through Exchange Web Services, OAuth, OAuth for Azure AD)</li> <li>• Microsoft Windows-compatible file system</li> </ul>  |

### 4.1.6 Intelligent Capture Web client requirements

This section lists the system requirements and recommendations for the machine running the Intelligent Capture Web Client.

- **Note:** Device scanner driver requirements take precedence over the operating system requirements.

#### 4.1.6.1 Web client hardware requirements

This section lists the hardware requirements and recommendations for the machine running the Intelligent Capture Web Client.

| Item         | Recommended   | Minimum  |
|--------------|---|--|
| Processor    | 2.8 GHz Pentium (4 cores)   | 2.0 GHz Pentium (2 cores)  |
| Memory       | 6 GB  | 2 GB   |
| Disk space   | 20 GB Free  | 20 GB Free   |
| Network card | Platform compatible with TCP/IP with transmission rate of 1000 MBit/sec | Platform compatible with TCP/IP with transmission rate of 100 MBit/sec |
| Display      | 1024 x 768, 256 colors  | 1024 x 768, 256 colors   |

#### 4.1.6.2 Web client software requirements

This section lists the software requirements for the machine running the Intelligent Capture Web Client.

- **Note:** Device scanner driver requirements take precedence over the operating system requirements.

| Item             | Required Software   |
|------------------|---|
| Operating system | <ul style="list-style-type: none"> <li>• Windows Server 2019 (64-bit)</li> <li>• Windows Server 2016 (64-bit)</li> <li>• Windows 10 - Enterprise edition, version 1803 or greater (64-bit)</li> </ul>   |
| Web Browser      | <ul style="list-style-type: none"> <li>• Chrome 94.0 (or greater)</li> <li>• Firefox 94.0 (or greater)</li> <li>• Microsoft Edge Chromium</li> <li>• <b>Note:</b></li> <li>• JavaScript must be enabled.</li> <li>• PixTools for Web 3.0 must be installed on the client machine.</li> <li>• The specified versions of Firefox and Chrome were tested. Compatibility with later versions is expected but cannot be guaranteed.</li> </ul> |

#### 4.1.6.3 Additional Third-Party Requirements for the Web Client

The Scanner Drivers (Image and Scanner Interface Specification (ISIS) compliant) standard is supported as well as recommended for seamlessly interfacing our scanning software with document

scanners. Every compliant driver must pass thousands of rigorous tests to fully validate its performance, compatibility, and reliability to achieve Scanner Drivers device certification. This certification process results in fewer hardware support problems and delivers the most solid document scanning interface available on the market. When you are ready to purchase, choose Scanner Drivers certified devices for all document scanners or MFPs and easily achieve plug-n-play deployment capability.

- **Note:** The scanner must be directly connected to your computer.

#### 4.1.7 Supported ODBC drivers

Intelligent Capture supports the following ODBC drivers:

- Oracle ODBC Driver 19.1
- DB2 Enterprise Server (LUW) 11.1

#### 4.1.8 Third-party product compatibility

Intelligent Capture is compatible with the following:

- **VMware**  
Intelligent Capture can run within the following VMware products:
  - VMware Workstation 15, 16
  - VMware Horizon View 7.x, 8.0
  - vSphere Hypervisor ESXi 7.0
  - **Note:** Enabling VMware VMotion is transparent to Intelligent Capture components.
- **Microsoft Azure**  
See the **Cloud Deployment Guide** for information on the supported operating system.
- **Google Cloud Platform (GCP)**  
See the **Cloud Deployment Guide** for information on the supported operating system.
- **Amazon Web Services (AWS)**  
See the **Cloud Deployment Guide** for information on the supported operating system.
- **Microsoft Hyper-V Server**  
Intelligent Capture can run in a Microsoft Hyper-V Server environment on Windows Server 2016, and 2019 (all 64-bit).
- **Remote Desktop**  
Intelligent Capture can run in a Remote Desktop server environment on Windows Server 2016, and 2019 (all 64-bit). Any client supported by Remote Desktop can access the Intelligent Capture Remote Desktop server environment.
- **Citrix**  
Intelligent Capture client components are compatible with the following Citrix products: Citrix XenApp and XenDesktop 7.6, 7.15 and 7.18.
- **OpenText Directory Services (OTDS)**  
For Web Client and REST Services/Real Time Services, OTDS 20.x, 23.1.0 is supported
- **Crystal Reports**  
Reports functionality has been tested with Crystal Reports 13.0.22.
- **IP**  
Internet Protocol is supported on all the operating systems that Intelligent Capture Server and clients can be installed on.

- **Section 508**  
Intelligent Capture adheres to Section 508 of the Disabilities Act. For additional information on compliance standards, you can request the Intelligent Capture Voluntary Product Accessibility Template (VPAT) through technical services.
- The **Federal Information Processing Standard (FIPS)** provides the best practices for implementing cryptographic software. The Intelligent Capture Server and Advanced Recognition are designed to operate with Microsoft operating systems that use FIPS-compliant algorithms for encryption, hashing, and signing.

The following modules support TLS 1.2:

- **Open Text Livelink Advanced Export** (Livelink version 10.5 only)
- Web Services
  - **WS Input**
  - **WS Output**
  - **WS Hosting**
- **Intelligent Capture REST Service** and **Intelligent Capture Web Client**
- **Standard Import** (Email profiles only)
- **Standard Export**
  - OpenText Content Server
  - CMIS (for Microsoft Sharepoint only)
  - ApplicationXtender
- **MS SharePoint Export** (legacy)

## 4.2 Language support

Unless otherwise noted, Intelligent Capture is localized into the following languages:

- Chinese (Simplified)
- French (France)
- German (Germany)
- Italian (Italy)
- Japanese
- Korean
- Portuguese (Brazil)
- Russian (Russian Federation)
- Spanish (Spain)

In addition, the Web Client is localized into the following languages:

- Catalan
- Czech
- Dutch
- Finnish
- Hungarian
- Kazakh
- Polish
- Romanian
- Slovak

- Swedish
- Ukrainian

### 4.2.1 Components localized

The following Intelligent Capture components are localized:

- User-interface strings, including windows, panes, menu items, buttons, error messages, batch and process names, and generated reports.
- Country-appropriate international date and time, address, numeric and currency formats, including separators.
- Installer (English and Japanese only).
- Online Help for the Installation Guide and Administration Guide (English and Japanese only).
- Online Help for Intelligent Capture Web Client and operator-attended production modules: Intelligent Capture Completion, ScanPlus, RescanPlus, Identification. The Intelligent Capture Operator's Guide includes all the localized production content for these modules.
- Performance counters installed on the server machine. These are available in the language of the operating system where they are installed or in English.
- Windows Event Log messages. Event logs display in the language of the operating system where they are viewed or in English.
  - **Note:** Sample process names are not localized by default. CaptureFlows are only localized if they are named using locale-specific characters.

### 4.2.2 Components not localized

The following Intelligent Capture components are not localized:

- All documentation other than those listed in Localized Components.
  - **Note:** Copyright information, Programming Reference section, and Glossary included in the localized online Help are not localized.
- Process Developer, Installers (except in Japanese), Database Manager utility, DLL Viewer, and PixView. Additionally, any module that receives data from an external back-end system may not display localized messages when those messages are received from the back-end system.
- License text and text in the About window of client modules.
- Debug messages.
- Scripting files.
- Command-line utilities.
- Intelligent Capture REST Service samples.
- Access keys. Localized versions of client modules may not have access keys.
- The following sample reports:
  - Operator Productivity Report (Completion)
  - Page Extraction Report (Extraction)
  - Field Extraction Report (Extraction)
- Processing log for new modules.
- In CaptureFlow Designer, the following windows are not localized:
  - Scripts (Code Behind) popup window

- Scripting Debug panel is partly localized for Korean (excluding column names, tooltips, and context menu) and not localized for Japanese.

## 5 Experimental features

To introduce and test highly anticipated new features, Intelligent Capture releases occasionally include enhancements that OpenText has not fully completed or tested. These features are offered to developers and early adopters as early previews. The functionality might not always work as expected and could be unstable, unreliable, or exhibit performance issues. If your organization is comfortable with this uncertainty, we would welcome your feedback.

For Intelligent Capture CE 21.4, Kubernetes containerization is categorized as Experimental. For more information about this implementation, see the Knowledge Base article [KB19379281] in [mysupport.opentext.com](https://mysupport.opentext.com)

## 6 Installation and upgrade notes

Before beginning installation, ensure that your system meets the requirements listed in Supported Environments and Compatibility. After installation, be sure to update your software to the latest patched release, if any patches are available.

### 6.1 Upgrade notes

Before you upgrade, review these instructions.

#### 6.1.1 Upgrade requirements

When upgrading Intelligent Capture, ensure that you have the following minimum hard disk space free to run the Intelligent Capture installers:

- Database and Intelligent Capture Server: 2 GB
- Intelligent Capture Client modules: 8 GB

These temporary hard disk requirements are necessary because the Microsoft Windows installer backs up the existing files before upgrading to the new version.

#### 6.1.2 Upgrading Crystal Reports

You must upgrade Crystal Reports to version 13.0.22; otherwise, any existing reports cannot be viewed.

## 7 Fixed issues

This section provides information about past issues that have been fixed in this release.

| Issue number | Issue description   |
|--------------|---|
| CAPC-9097    | New value Task.TaskRouting added to "Administration Guide > Using Captiva Administrator > Captiva Administrator Reference > InputAccel Server Events: Log Code Details". It contains the value of a dynamic Department on a task level.   |
| CAPC-2961    | XPPCompile.exe -The tool compiles process from capture flow and packages it along with code behind script dlls and steps settings in a zip, suitable for uploading later into Intelligent Capture server using BatchCopyCmd utility.  |
| CAPC-9331    | In the Distributed Capture profile, the <b>Use auto-learning with</b> property was erroneously included. Selecting any of its values does not have any effect.  |
| CAPC-9116    | NuanceOCR: If PowerPoint 2007 is specified for the <b>Output Format</b> property and either NOFORMAR or RFP is specified for the <b>Level</b> property, then an error occurs.   |
| CAPC-6195    | In Standard OCR, for Traditional Chinese (Hong Kong), sometimes the incorrect characters are extracted. Correct symbols are recognized for the following Input Image Resolution settings: <ul style="list-style-type: none"> <li>• Estimate</li> <li>• ReadFromFile, Repair Resolution -on</li> </ul> |
| CAPC-6674    | For ODBC export, when the <b>If 0 rows changed</b> option is set to <b>Execute next statement</b> and two or more rows have changed, the next statement is still executed.  |
| CAPC-6694    | For ODBC export, when the <b>If 0 rows changed</b> option is set to <b>Treat as error</b> and no rows have changed, the next statement is still executed.   |
| CAPC-4491    | IBM CM Export - if "Modify all items found" option is selected in setup, the error - 2147483648 (0x8000000) is displayed in production mode   |
| CAPC-10939   | Image Converter REST service not merging PDFs when Image Converter Profile's InputType is set to "MultipageAtPageLevel" or "MultipageAtDocLevel"  |
| CAPC-11065   | Captiva Administrator XML Error   |
| CAPC-9637    | QR code is not getting detected   |
| CAPC-7548    | Aspose.Cells: incorrect processing of Excel file - textual data is mixed in result PDF  |
| CAPC-9447    | Error observed in Recognition project while doing template/unit test  |
| CAPC-9420    | [Std Import] Table borders disappear from email in RTF while converting to html   |
| CAPC-4862    | IBM CM Export (L10N): Incorrect Trademark symbol is shown on Login and About windows  |
| CAPC-11943   | Unable to generate the Aspose logs for Exchange Web Services  |
| CAPC-12218   | Identification module - Unable to view template name when using Shortcut key  |
| CAPC-12532   | Standard Import - Purge is not working correctly.   |
| CAPC-6759    | Doc Bug - ExecuteValidationRule () event is fired before ExitControl () event   |

|            |  |
|------------|--|
| CAPC-5916  | [A11Y] CaptureFlow Designer: Button controls on Problems and Search panels are not readable with accessibility tools                           |
| CAPC-5914  | [A11Y] CaptureFlow Designer: All elements on the canvas are not readable with accessibility tools  |
| CAPC-5921  | [A11Y] DCTM Export: Pop-up error messages are not readable with accessibility tools  |
| CAPC-5952  | [A11Y] DCTM Export: Info on Repository tab is not readable with screen readers   |
| CAPC-6528  | CWC - all number of tasks in batch are viewed in separate department even some of tasks are assigned to another department                     |
| CAPC-9036  | Intelligent Capture- Slowness in Completion when parameter: - customtaskbatchlistfilter is used  |
| CAPC-9883  | Known character height parameter is always shown as default for custom configuration of Advanced OCR engine in OCR engine configuration editor |
| CAPC-11541 | CWC: Able to login to CWC with incorrect credentials when using SSO authentication   |
| CAPC-11470 | File type IA value assignment to String type Custom Value  |
| CAPC-9129  | CWC Login Fails upon adding <r in password   |
| CAPC-8698  | Image Processor throws an error: "Unsupported Image format" upon importing certain tif file  |
| CAPC-9028  | Keyword classification test does not re-use OCR cache files  |
| CAPC-9525  | Batches are not getting deleted automatically if the process has IACopy module   |
| CAPC-9718  | Batches are stuck in classification module with status Working   |
| CAPC-8682  | InputAccel Server Crashed and became Unresponsive  |
| CAPC-9648  | Local Anchors not getting placed in PAL templates  |
| CAPC-9832  | Image converter is throwing error " PDF Library Error: Expected an array object."  |
| CAPC-11752 | Intelligent Capture (Trunk) - Standard Import is not showing time format as "UTC" in "Date Sent" attribute                                     |
| CAPC-12029 | Unable to create batch using Standard Import and Scanplus  |
| CAPC-11188 | REST Services failure error message provide too much detail containing file path.  |
| CAPC-9824  | ProfileInfo object in TaskObject has the wrong Profile information.  |
| CAPC-7500  | Prevent Multiple Lines from Being Entered in Certain File System Connection Properties   |
| CAPC-7501  | Editing Population Rules and Then Pressing Cancel Marks DocType as Dirty   |
| CAPC-7732  | Nuance OCR cursor behaviour is not proper after image deskewed   |
| CAPC-7920  | Captiva Administrator- Crystal reports are not generating and throwing error   |

|            |   |
|------------|---|
| CAPC-10914 | CWC: Validation rule does not triggered in PROCESS BATCHES step when 'Scan or Import Files' option is selected in module settings of DistributedWebClient |
| CAPC-11176 | CC16.6: Script based Validation rule is not getting triggered for all use case  |
| CAPC-9952  | .NET Code: There is a typo in the description for .Net Code module setup confirmation prompt dialog box   |
| CAPC-10155 | Recostar engine gives unacceptable results for Russian documents  |
| CAPC-11074 | Query - Is there any way to handle corrupted and password protected zip files in Standard Import?   |
| CAPC-11387 | Designer is crashing when an attribute is deleted from Content Server workflow  |
| CAPC-10043 | Completion not moving to next field after rubberband OCR is performed   |
| CAPC-8270  | Export - OT Content server is throwing an API error when there is a required attribute for the category on the folder that we are exporting to            |
| CAPC-9301  | After upgrading from Captiva 7.5 to 16.6, the text on all buttons in DocType is not in the Center and background color is different                       |
| CAPC-9886  | Date field population rule , on validating uimData overwrites the user modified value   |
| CAPC-9946  | Clicking on Refresh button and OK button, after deleting the categories in Content Server is throwing an error  |
| CAPC-9146  | Completion form moves to the top after selecting a table value  |
| CAPC-9293  | Buttons have wrong captions in the validation error message.  |
| CAPC-9313  | Server crashes after the batch creation along with Standard Import  |
| CAPC-8884  | Cannot set level 2 index field value using SetValue in NodeAdded event  |
| CAPC-8922  | Completion - SelectionChange event does not get fired, when the value is changed by a script  |
| CAPC-9704  | Error is not shown when batch description and batch name exceeds maximum length   |
| CAPC-9711  | CWC:Population & Validation rule does not load in Process Batches step when 'Scan Only' option is used.   |
| CAPC-9590  | Created Date on CWC Process Batches Tab displays an incorrect time  |
| CAPC-9603  | "Find" window is not working as expected in CaptureFlow Script editor   |
| CAPC-9600  | Intelligent capture: REST config fails when IAuser password included with characters backslash "\ "and comma ","  |
| CAPC-9459  | Salesforce connection is visible in IC Designer   |
| CAPC-9445  | Standard Import fails to create batch if there is no content in the email body when the email is sent from Thunderbird email client                       |
| CAPC-8714  | Scanplus creates an unreadable image while importing .tif file with ZIP Compression   |

|            |  |
|------------|--|
| CAPC-8574  | Performance issue: Execution of validation rules takes long time in big batch compared to smaller batch  |
| CAPC-8673  | BatchCopy: Document types used by WebClient module are not copied  |
| CAPC-9158  | Failed to convert a value to a given type. Value dd/mm/yyyy, Type: DateTime  |
| CAPC-9082  | IC Designer crashes when opening an Asian Standard OCR profile without the corresponding Asian package installed                               |
| CAPC-9813  | Captiva Designer: User is allowed to save the Captiva Server with blank names on Edit Captiva Server dialog box                                |
| CAPC-9812  | Captiva Designer: Prevent Multiple Line from being entered in configuration setting properties   |
| CAPC-9786  | In Completion SelectionChange event does not get fired, when the value is changed by a script  |
| CAPC-11786 | Ability to login via login.aspx when Windows Authentication is enabled   |
| CAPC-11781 | Errors ignored when running IBM CSSAP Export as a service  |
| CAPC-12222 | Captiva Administrator is throwing error while viewing the batch list   |
| CAPC-12247 | Unable to export files from Captiva to GCP   |
| CAPC-12269 | WebService Output is throwing error "Cannot send Web request: WSE101: An asynchronous operation raised an exception.[CR][LF] Inner exception " |
| CAPC-13177 | Empty DateTime variable exported from Captiva to Documentum as Today's date  |
| CAPC-13382 | Captiva web client - delay in submitting a batch   |
| CAPC-10998 | Dropdown behaves differently when using Rubber band  |
| CAPC-9522  | IAB File Limitations   |
| CAPC-9860  | REST unable to communicate with IAServer and need to know why IAServer is Crashing.  |
| CAPC-9580  | Standard Import is assigning incorrect OutputFiletype for Emails   |
| CAPC-11722 | PluginService slow to shutdown   |
| CAPC-10129 | Intelligent Capture- "ICM7062" Error while using Edit function to edit an IBM CM definition under IBM content Manager Setup                    |
| CAPC-11069 | Error while Exporting using IBM CM export with Symantec type resource item   |
| CAPC-11443 | Dropdown field are not populated with values for the newly created table row's   |
| CAPC-10044 | Captiva Web Client- "Read-only" field is capturing data from Image when using "Click to extract" feature in CWC                                |
| CAPC-8925  | In case of AR/IEE doc type, table caption on the form has internal tech names instead of user defined labels                                   |
| CAPC-10964 | Localization issue: Error message in task priority of a module is not translated   |
| CAPC-8819  | PromptAtEnd must be renamed to PromptAtEndOfDocument in Designer.  |

|           |   |
|-----------|---|
| CAPC-8770 | Standard Export:xECM Export profile Status of Connection used in Export profile is changed to Local Changed after opening export Setup window |
| CAPC-8768 | Web Client: Flag button and shortcut CTRL+G must be disabled if page is selected and we don't have page flags.                                |
| CAPC-8813 | Designer: xECM Export: Error icon and error message are displayed in the list of export profiles, but not displayed in export profile.        |
| CAPC-8773 | Web Client: Tables data is highlighted incorrectly in case there are more than one table on a page  |
| CAPC-8767 | CFD: Sample CaptureFlows should be updated to correspond to the actual MDF files  |
| CAPC-9279 | Web Client:Issues popup after clicking on NEXT is not shown even when field in the form shows an error  |
| CAPC-9320 | Unable to export data to IBM Content Manager 8.5 version using C++ API transport  |
| CAPC-9315 | xECM: instead of undefined Business Object properties, duplicates of the first property are displayed   |
| CAPC-9314 | NuanceOCR: Non-fatal error occurs while processing the specific image   |
| CAPC-9260 | Web Client: Order of value checking was changed, causes widget problems   |
| CAPC-8879 | Installer-Application Pool with the name "CaptivaCWCAndRESTAppPool" is getting created on installing web component                            |
| CAPC-8846 | Web Client: DTL & SCE coming up with incorrect date conversions   |
| CAPC-8924 | Web Client:All formats are not accepted when validation Type is Pattern   |
| CAPC-9661 | Error loading Image Processor dependent dll   |
| CAPC-9440 | Image Converter service is failed with error: "Environment variable name or value is too long"  |
| CAPC-9422 | "Import Profiles" is listed twice in Deployment Tab   |
| CAPC-9423 | Identification Panel Settings Not Saved   |
| CAPC-8721 | "Intelligent Capture Designer has stopped working" after clicking "Upload" button for all service components                                  |
| CAPC-8705 | Recognition Designer:The list of classifiers is empty for Advanced OCR/ICR engine.  |
| CAPC-8709 | xECM Export: When value of Integer type attribute is set as a number with decimals, exported data is incorrect                                |
| CAPC-8748 | xECM Export: Logged error messages in some cases are not correct and user-friendly  |
| CAPC-8749 | Server: BatchCopy: Batches whose names contain a backslash char are not copied  |
| CAPC-8753 | Web Client: Captiva.Number.format rounds incorrectly.   |
| CAPC-8755 | Web Client: Percent Validation Type is not accepting some percentage values   |

|            |   |
|------------|---|
| CAPC-8732  | Designer: A lot of errors appear when trying to upload sample captureflows through Deployment.  |
| CAPC-8733  | 'a' is small letter in OAuthTokenUrl property of Content Server Connection in CapDesigner   |
| CAPC-9175  | Translation for pt-BR to be corrected in resource file  |
| CAPC-9106  | Attended Modules: Some modules have 'Captiva' in name in Task Manager (.Net code module, Extraction, Image Converter, Standard Export)        |
| CAPC-9080  | Web Client: Field with ? shows an error in English instead of language specified  |
| CAPC-9195  | Web Client: String pattern used when present even if validation type is regex   |
| CAPC-9631  | Web Client: Clicking CANCEL button is not redirecting to Home.aspx page   |
| CAPC-9656  | Autolearning option from Core Capture is visible in IC Designer   |
| CAPC-9072  | Web Client: DTL for numeric values with german locale not working any more  |
| CAPC-8777  | xECM: error icons are displayed when opening the xECM export profile without errors   |
| CAPC-9116  | NuanceOCR: Error occurs when options Output Format PowerPoint 2007 and Level NOFORMAR or RFP are specified                                    |
| CAPC-9842  | Captiva Web Client is throwing error "FIELD ERROR Fieldnumber: Core_2212" instead of mentioned validation error "ArraySum is wrong" in fields |
| CAPC-9826  | Spaces are ignored in the OCR generated   |
| CAPC-11771 | Nuance OCR is randomly generating corrupt files that Image Processor can't read   |
| CAPC-11578 | Intelligent Capture - 7.7 - Identification - Unable to generate UIMData   |
| CAPC-12224 | Cannot deploy XPP to different Servers form one Capture System  |
| CAPC-12277 | Document Type - Dropdown - Default Value  |
| CAPC-12410 | Error message is not displayed when invalid URL is used for dctm cmis connection  |
| CAPC-12735 | Standard Export: Fails to export with error "An illegal attempt was made to upload a document" to Content Server 21.1                         |
| CAPC-12724 | Condition Name in Capture Flow doesn't Rename while pressing Enter  |
| CAPC-13179 | Owner of Expression Editor is missing   |
| CAPC-12767 | Designer:Condition Properties: Condition Name and Comments not updated by pressing Esc and Alt+F4 buttons on the keyboard                     |
| CAPC-12762 | Requesting to have a feature to disable google analytics POST from Intelligent Capture Web Client   |
| CAPC-12774 | Module not retrieved on undo from custom values page in Capture flow  |
| CAPC-13278 | Pix Tools for Web: "Continue" is not translated consistently in German  |
| CAPC-13329 | Installer: Copyright text on main Installer screen is not localized in Japanese   |

|            |  |
|------------|--|
| CAPC-13354 | Installer: The text on "Installation Complete" screen which comes after cancelling the Database installation is overlapping in Japanese  |
| CAPC-11615 | Import on Organize step causes infinite loop if cursor is not moved  |
| CAPC-12450 | Identification - Error message when switching between AR Batches   |
| CAPC-12904 | CaptureFlow with 2 or more installed processes is not getting uploaded to the server from deployment tab   |
| CAPC-9312  | Specific working on Japanese keyboard crash the Captiva Completion   |
| CAPC-9730  | Identification Task script is not returning page count after document SPLIT.   |
| CAPC-12491 | Completion: CustomStyle for checkBox does not work in runtime  |
| CAPC-9845  | Image Converter adding bad characters to certain text in PDF causing loss of data  |
| CAPC-11040 | Errors ignored when running IBM CM Advanced Export as a service.   |
| CAPC-11460 | Export to IBM Content Manager: Cannot send a null date to IBM CM in a non-required date field  |
| CAPC-9983  | Captiva Web Client is not saving values for Index Level 2 fields   |
| CAPC-10086 | DocBoundary Documented Wrong in REST API   |
| CAPC-11034 | Client Modules trace log is not cleaned up after 7 days at module startup  |
| CAPC-13268 | Top Banner Action buttons are not working in Completion Module when we set focus to the required field from client side script   |
| CAPC-10979 | Captiva REST Service Configuration failed when InputAccel user password contains comma(,)  |
| CAPC-11103 | Standard Import: Files, where the PDF and data file are not getting imported at the same time. It would import 1 at a time which would then fail downstream in the Capture Flow process. |
| CAPC-11414 | Documentum Advance Export failure with error [DM_API_E_CANT_WITHOUT_OPEN_TRAN]   |
| CAPC-12281 | Changing snippet alignment [Right/Left justified] in completion module   |
| CAPC-12154 | In completion module using backtick character on a text box clear it and moves to next box   |
| CAPC-11982 | IA Server Crashed after downloading Captiva Patch 16.5 P21   |
| CAPC-13355 | IMGCONV: PDF Library Error: The encoding(CMap) specified by a font is corrupted.   |
| CAPC-12152 | Server and services are getting crashed, if encryption is ON   |
| CAPC-11514 | Identification - Module object is not getting cleared from Background process  |
| CAPC-11980 | SFTP connection failing  |
| CAPC-12798 | Standard import doesn't populate metadata digit when it is more than 10 digit, prefix zero is getting trimmed out from the value in administrator.                                       |

|            |   |
|------------|---|
| CAPC-12137 | Fields size mismatch in Tbl_Batches.BTBatchName and Tbl_ReportBatches.RBBatchName                           |
| CAPC-12650 | Expression editor popup in Document types – Validation Rules can be opened below the taskbar                |
| CAPC-12688 | StandardExport throws an error "Failed to execute external API. Error:" One or more parameters are invalid" |
| CAPC-13432 | Search not working in CWC on Process Batches tab  |

## 8 Known issues

This section identifies known product issues and limitations that may affect your use of the product.

### 8.1 Administration

| Issue number | Issue description  |
|--------------|--|
| CAPC-8673    | BatchCopy.exe does not copy document types used by Web Client. |

### 8.2 Client modules

#### 8.2.1 Designer

| Issue number | Issue description  |
|--------------|--|
| CAPC-6000    | For connections and custom styles in <b>System &gt; System Configuration</b> tab > <b>Configuration Settings</b> , selecting <b>Undo (Ctrl+Z)</b> removes the most recently created connection or custom style instead of undoing the last change in a connection or custom style's property.<br><b>Workaround:</b> Recover the deleted connection or custom style by selecting <b>Redo (Ctrl+Y)</b> . |
| CAPC-8413    | For xECM Export, multiline values cannot be typed or pasted into the expression editor window.<br><b>Workaround:</b> Create a custom IA Value for multiline values and specify the custom IA Value in the expression editor window.  |
| CAPC-13768   | Information Extraction Engine (IEE) profile names are case sensitive   |

## 8.2.2 RescanPlus

| Issue number | Issue description   |
|--------------|---|
| CAPC-9084    | If a module is triggered at the page-level for a batch of 7 or more pages and several sets of nodes are to be replaced, then, after replacing the first set of nodes, an inner error occurs. After that, rescanned nodes in the subsequent sets are not deleted and the nodes in the batch are incorrectly ordered. |

## 8.2.3 Standard Export

| Issue number | Issue description   |
|--------------|---|
| CAPC-5012    | Export to Content Server fails for a Workflow Map item with an Integer:Popup attribute.   |
| CAPC-6672    | For CMIS export to IBM FileNet P8 Platform, when exporting a document as a new version, its Document name property is changed to its Document Title property. |

## 8.2.4 Completion

| Issue number | Issue description  |
|--------------|--|
| CAPC-4541    | In Completion, a <b>Check Box</b> field is not displayed with the values in the <b>Value List</b> property; instead, the default numbers <b>1</b> (selected) or <b>0</b> (not selected) are displayed. |

## 8.2.5 Web Client

| Issue number | Issue description  |
|--------------|--|
| CAPC-8900    | In Web Client, using Internet Explorer to import large PDFs fails intermittently. These failures occur because Internet Explorer is a 32-bit application. Microsoft does not intend to fix this issue. It is recommended to use another browser.   |
| CAPC-9195    | If a string field in a document type is first configured with a pattern and then a regular expression, then Web Client uses the pattern for validation instead of the regular expression.  |
| CAPC-9042    | On the <b>Process batches</b> page, searching the batch list by batch attributes does not work.  |
| CAPC-8878    | After having executed <b>Autocomplete</b> or <b>Autocomplete table</b> on multiple tables on the second page of a batch, if you attempt to display any of the tables for field-level validation by clicking the table in the data validation and entry pane, then the table's data is either not displayed or not highlighted on the image; in addition, <b>On-Image Navigation</b> does not work correctly. |
| CAPC-8855    | After you execute <b>Autocomplete</b> or <b>Autocomplete table</b> (any number of times) on a single table and then execute either command on any other table on the same page image while the pointer is positioned outside of the image pane, then the new rows are not displayed until you position the pointer over the image pane again.  |
| CAPC-8853    | If a page image has multiple tables with a similar layout, then executing <b>Autocomplete</b> or <b>Autocomplete table</b> on one table might not work correctly.  |
| CAPC-8610    | After the Intelligent Capture server is restarted, batches that were previously displayed on the <b>Process Batches</b> tab are no longer displayed.<br><b>Workaround:</b> Sign out and then sign back into Web Client.  |
| CAPC-8516    | In some non-English languages, some characters might be displayed in a slightly different font style, but they are still legible.  |
| CAPC-3689    | In Intelligent Capture Web Client, if Windows authentication is enabled, then departments do not work for capture profiles, thus users can see all capture profiles regardless of the departments of which they are members.   |

## 8.2.6 Image Converter

| Issue number | Issue description   |
|--------------|---|
| CAPC-3541    | <p>Depending on the build version of Internet Explorer and the VM's CPU capacity, Image Converter might fail to convert HTML files and the following error would be displayed.</p> <pre>Virtual printer is hanging. Timeout: 10.000000 min, time elapsed: 10.008333 min.</pre> <p><b>Note:</b> This error could be displayed for other reasons as well.</p> <p>This issue does not occur with Internet Explorer version 11 (11.0.9600.17498, update versions 11.0.15 (KB3008923)).</p> <p><b>Workaround:</b> Depending on your specific configuration, increasing the number of virtual CPUs from 2 to 4 could resolve the issue.</p> |

## 8.2.7 Classification

| CAPC-13414 | A new IA value OCRLocale missed in the Documentation |       |               |   |
|------------|--|-------|---------------|---|
|            | IA Value   | Level | Type          | Description   |
|            | OcrLocale  | 0     | String, Input | Contains the locale, such as "de-DE" that will be used by Information Extraction for extracting text from the images. If empty, the locale is defined by the classification locale in the Information Extraction project. |

## 8.2.8 Extraction

| CAPC-13414 | A new IA value OCRLocale missed in the Documentation |       |               |   |
|------------|--|-------|---------------|---|
|            | IA Value   | Level | Type          | Description   |
|            | OcrLocale  | 0     | String, Input | Contains the locale, such as "de-DE" that will be used by |

|  |  |  |  |   |
|--|--|--|--|---|
|  |  |  |  | Information Extraction for extracting text from the images. If empty, the locale is defined by the classification locale in the Information Extraction project. |
|--|--|--|--|---|

### 8.2.9 Installer

| Issue number | Issue description  |
|--------------|--|
| CAPC-13719   | Client Installer installs the pre-requisite Microsoft Visual C++ redistributable package. Due to a known issue with Microsoft redistributable forcing a restart, after it is installed, a restart is required. |

## 9 Contact information

OpenText Corporation  
275 Frank Tompa Drive  
Waterloo, Ontario  
Canada, N2L 0A1

OpenText My Support: <https://support.opentext.com>

For more information, visit [www.opentext.com](http://www.opentext.com)